

Commercial & Industrial Energy Efficiency Retrofits - Building Shell Worksheet



Please complete this worksheet for building shell measures you're installing. **To qualify, the project must meet the applicable specifications listed on this worksheet.** The total incentive for each measure will be the quantity multiplied by the per unit incentive ($Q \times I = TI$). When completed, attach this worksheet to your application form.

Note: Projects with an estimated incentive of \$1,500 or greater must receive pre-approval from Idaho Power prior to installing the equipment.

Project Name: _____

What type of cooling does this building use: Mechanical Other (evaporative, window unit, portable, etc.)
 What type of heating does this building use: Electric Other

Replacing	Installing	Quantity (Units)	Incentive (Per Unit)	Total Incentive
Premium Windows				
B1 Standard windows	U-factor of .30 or less <i>Note: windows must be installed in building with electric heat.</i>	_____ ft ² window area	\$2.50	\$ _____
Reflective Roofing				
B2 Non-reflective low pitch roof	Adding reflective roof treatment	_____ ft ² roof area	\$0.05	\$ _____
Wall Insulation				
B3 Insulation level, R2.5 or less	Increase to R11 min insulation	_____ ft ² wall area	\$0.40	\$ _____
B4 Insulation level, R2.5 or less	Increase to R19 min insulation <i>Note: insulation must be installed in building with electric heat.</i>	_____ ft ² wall area	\$0.55	\$ _____
Ceiling Insulation				
B5 Insulation level, R11 or less	Increase to R38 min insulation <i>Note: insulation must be installed in building with electric heat.</i>	_____ ft ² roof/ceiling area	\$0.35	\$ _____
Building Shell Total				\$

Specifications for Building Shell Measures

Premium Windows

New windows must be certified by the National Fenestration Rating Council (NFRC) or any NFRC-licensed independent certification and inspection agency (e.g., American Architectural Manufacturers Association (AAMA)) and meet U-factor of 0.30 or less. Windows are only eligible when they are installed in spaces that have electric heat. NFRC specification sheets must be submitted with the application.

Reflective Roof Treatment

Reflective roof treatments qualify when applied to the roof above a space with central mechanical air conditioning or PTAC/PTHP systems. The roof treatment must be ENERGY STAR® rated or tested through a Cool Roof Rating Council (CRRC) accredited laboratory and have a total solar reflectivity of at least 0.70 and a minimum thermal emittance of 0.75.

Reflective roof treatments only qualify when installed on non-reflective roofs with a low-slope (pitch of 2:12 or less) and when installed on buildings that have central mechanical air conditioning systems.

Wall Insulation

Eligible wall area is limited to buildings or portions of buildings with electric heat. Qualifying wall insulation type must meet any applicable code requirement for the specific building in which it is installed and must meet the required R-value.

This incentive applies only to the treated area of exterior walls (gross wall area, less window and door area) where the insulation has been installed to the proposed R-value. Radiant barriers will not be allowed as a substitute for insulation in this program. Insulation must be professionally installed by an insulation contractor. DIY installations are not eligible.

Ceiling Insulation

Eligible roof/ceiling area is limited to buildings or portions of buildings with electric heat. Qualifying ceiling insulation can be rigid foam, fiberglass bat, or blown-in cellulose and must meet any applicable code requirement for the specific building in which it is installed and must meet the required minimum R-value.

Checklists for Submission

Pre-Approval Checklist

- Signed/Dated Non-Lighting Application
- Building Shell Worksheet (*must be completely filled out*)
- Manufacturer Specification Sheets

Payment Checklist

- Signed/Dated Non-Lighting Application
- Building Shell Worksheet (*must be completely filled out*)
- Invoices for Material & Labor

Note: *Invoices must include area-affected square footage, the U-factor, R-value, etc., that existed previously and as installed with the new equipment, and the quantity and type of what was installed. Manufacturer's specification sheets for the purchased equipment must accompany the application.*